POST DRIVERS

Worksaver.

Designed.
Engineered.
Remarkable
Value.

WORKSAVER®

Self-Contained Hydraulic Post Drivers

Greater versatility, rugged construction, effective, fast operation. Ideal for all Skid Steers.

GENERAL IMPLEMENT DISTRIBUTORS

POST DRIVERS

Worksaver
Model HPD-16 HSS/P, HPD-20 HSS/P and HPD-24 HSS/P

- Designed for rugged, heavy-duty use.
- Features its' own hydraulic pump, motor and reservoir.
- Post Driver hydraulic system is independent of Skid Steer system eliminating risk of oil contamination.
- No special return line or fittings required for quick convenient installation.
- Incorporates spin on filter to protect its' hydraulic system.
- Mounts to any Skid Steer with "universal" attaching system.
- Patented slide blocks, made of ultra high molecular weight polyethylene, offer more contact surface for improved performance.
- Standard level indicator for quick accurate driver alignment.
- Spring dampers reduce "whipping action" helping to extend spring life.
- Chrome-plated high tensile steel hydraulic cylinder rod for long life.

POST DRIVER SPECIFICATIONS

Model Nos.	**HPD-16 HSS/P**	**HPD-20 HSS/P**	**HPD-24 HSS/P**
Max. Post Size	7" x 9'	8-3/4" x 10'	11" x 10'
Impact at Full Stroke	32,000 lbs	80,000 lbs	110,000 lbs
Impact at Half Stroke	16,000 lbs	40,000 lbs	55,000 lbs
Tilt Adjustment *Front/Back*	---------- 17 degrees each way from vertical----------		
Tilt Adjustment *Side/Side*	---------- 20 degrees each way from vertical----------		
No. of Cylinder/Size	Two 3"x6"	Two 3"x6"	Two 3"x6"
Minimum Hydraulic Req.	10 gpm	10 gpm	10 gpm
Reservoir Capacity	5 gal	5 gal	5 gal
Pump Type	Gear	Gear	Gear
Pressure relief setting	1500 psi	1500 psi	1500 psi
Filter Type (suction)	Spin-on	Spin-on	Spin-on
Hoses (less Couplers)	Standard	Standard	Standard
Mounting	----------"Universal" Skid Steer Quick-Attach Mount----------		
Storage/Transport Locking Straps	---------- Standard all Models ----------		
Shipping Weight	1,058 lbs	1,215 lbs	1,451 lbs
Product Computer Number	815020	815025	815030

READ AND UNDERSTAND OPERATOR'S MANUAL BEFORE OPERATION.

Worksaver Inc. has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. Worksaver Inc. is not responsible for differences between specifications or illustrations contained in this publication and the actual equipment.

GENERAL IMPLEMENT DISTRIBUTORS

WORKSAVER Prices Effective as of 4/14

Fence Building Attachments

Standard Duty Hydraulic Post Drivers (Wood / Steel Post) Complete Drivers (including mounts) for Tractors or Skid Steers. Skid Steer units are designed with "Universal" style quick attach, return line fitting kit is required, unless noted. **Note: All post drivers include a Post Holder as standard equipment.**					
Product	**Model**	**Item #**	**Description**	**Lbs.**	**List**
	HPD-16	814400	Center Mount for Tractor 3-pt (Cat I/II). Manual Adjustment driver w/ stabilizer legs. Maximum post size 5" x 9'	600	3,475.00
	HPD-16 HFL	814835	Front Loader Mounted all Hydraulic Adjustment driver. Maximum post size 6" x 9'	1125	6,575.00
	HPD-16MSS	814628	Skid Steer Mounted all Manual Adjustment Maximum post size 6" x9'	678	4,345.00
	HPD-16HSS	814630	Skid Steer Mounted all Hydraulic Adjustment driver. Maximum post size 6" x 9'	950	6,820.00
	HPD-16HSS/P	815020	Skid Steer Mounted self-contained all Hydraulic Adjustment driver. No special return line fittings are required. Maximum post size 6" x 9'	1283	10,195.00
	HPD-16SHC	814825	Center Mount for Tractor 3-pt (Cat. I/II). All Hydraulic Adjustment driver. Maximum post size 6" x 9'	875	5,875.00
	HPD-16SWO	814855	Offset Mount for Tractor 3-pt (Cat. I/II) All Hydraulic Adjustment driver. Maximum post size 6" x 8'	1683	10,230.00

GENERAL IMPLEMENT DISTRIBUTORS

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup. Priced FOB Factory.

WORKSAVER Prices Effective as of 4/14

Fence Building Attachments

Hydraulic Post Drivers with Q-Technology (Wood / Steel Post)
Complete Drivers (including mounts) for Tractors or Skid Steers.
Units feature Q-Technology – "Quick Change"- Rod Seal & "Quick Change"- Springs.
Skid Steer units are designed with "Universal" style quick attach,
return line fitting kit is required, unless noted.
Note: All post drivers included a Post Holder as standard equipment.

	HPD-22Q	815300	Center Mount for Tractor 3-pt (Cat I/II). Manual Adjustment driver w/ stabilizer legs. Maximum post size 8-3/4" x 10'	795	4,805.00
	HPD-22Q HFL	815310	Front Loader Mounted all Hydraulic Adjustment driver. Maximum post size 8-3/4" x 10'	1275	7,905.00
	HPD-22Q MSS	815315	Skid Steer Mounted all Manual Adjustment Maximum post size 8-3/4" x10'	828	5,675.00
	HPD-22Q HSS	815320	Skid Steer Mounted all Hydraulic Adjustment driver. Maximum post size 8-3/4" x 10'	1245	8,150.00
	HPD-22Q HSS/P	815325	Skid Steer Mounted self-contained all Hydraulic Adjustment driver. No special return line fittings are required. Maximum post size 8-3/4" x 10'	1385	11,525.00
	HPD-22Q SHC	815330	Center Mount for Tractor 3-pt (Cat. I/II). All Hydraulic Adjustment driver. Maximum post size 8-3/4" x 10'	1035	7,20500
	HPD-22Q SWO	815335	Offset Mount for Tractor 3-pt (Cat. I/II) All Hydraulic Adjustment driver. Maximum post size 8-3/4" x 9'	1878	11,560.00

.

Product	Model	Item #	Description	Lbs.	List
	HPD-26Q SHC	815345	Center Mount for Tractor 3-pt (Cat. II). All Hydraulic Adjustment driver. Maximum post size 11" x 10'	1215	8,715.00
	HPD-26Q HSS	815350	Skid Steer Mounted all Hydraulic Adjustment driver. Maximum post size 11" x 10'	1429	9,660.00
	HPD-26Q HSS/P	815355	Skid Steer Mounted self-contained all Hydraulic Adjustment driver. No special return line fittings are required. Maximum post size 11" x 10'	1575	13,035.00
	HPD-26Q SWO	815360	Offset Mount for Tractor 3-pt (Cat. II) All Hydraulic Adjustment driver. Maximum post size 11" x 9'	2194	13,070.00

Note: MSS & HSS models for skid steer loaders require the purchase of a return line package for proper operation

GENERAL IMPLEMENT DISTRIBUTORS

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup. Priced FOB Factory.

WORKSAVER Prices Effective as of 4/14

Post Driver Accessories and Mounts. Mounting Kits are listed to allow conversion of standard Post Driver.					
	Post Holder	815130	Fits Worksaver hydraulic post drivers previously manufactured without post holders. Spring loaded, holds post in position until post is started. Not for "T" posts. Can ship UPS.	25	200.00
Manual Mount Kits For 3-pt Only		814580	Manual Adjustment Base with 3-pt mount and stabilizer legs	168	1,095.00
Front Loader Mount		814845	Hydraulic Front Loader Mount (HFL) For models 16 & 22Q drivers only. (Optional Q.A. Brackets pg. 36-44)	675	4,195.00
Skid Steer Mounts		814637	Manual Adjustment (MSS) mount for Skid Steer. Models 16 & 22Q drivers only.	193	1,965.00
		814610	Hydraulic Adjustment (HSS) mount for Skid Steer. Models 16, 22Q & 26Q drivers	514	4,440.00
		815000	Optional Hydraulic Power Package for hydraulic adjustment Skid Steer mounts. Contains, hydraulic motor w/self-contained hydraulic system. (Use with mount 814610)	201	3,375.00
Hydraulic Mount Kits For 3-pt Only		814680	Hydraulic adj. center mount (SHC) only for HPD-16, 22Q, & 26Q drivers.	380	3,495.00
		814805	Offset Pivot Mount (SWO) for Models 16, 22Q & 26Q drivers. Includes hydraulic package	933	7,850.00
		814490	Adapter for steel "T"posts	11	85.00

Note: MSS & HSS models for skid steer loaders require the purchase of a return line package for proper operation.

WORKSAVER Prices Effective as of 4/14

Fence Building Attachments

Return Line Kits for Skid Steer Mounted Post Drivers Return Line kits are required for all MSS & HSS (except HSS/P) models. These kits contain fittings to allow the oil to be returned to the hydraulic reservoir.					
Product	**Model**	**Item #**	**Description**	**Lbs.**	**List**
	Bobcat	814905	Return line fittings, hoses, and hardware for S200, S250, S300, S330, T250, T300, T320, T630, T650 and earlier models except 773G & 873G (Note: approx. 4" dia. screw type plastic cap)	5	145.00
	Bobcat	814908	For Models S130, S150, S160, S175, S185, T140, T190 (Rubber plug type cap)	6	145.00
	Case	815105	For most 1835, 1835B, 1835C, 1840, 1845, 1845B & 1845C (Large Diameter Cap)	7	240.00
	Case	814915	For Models 410, 420, 430, 435, 440, 445, 450, 465 40XT, 60XT, 70XT, 75XT, 85XT, 90XT, 95XT, SR150, TR270, TR320, SV175, SV185, SV250, SV300, TV380	6	240.00
	Thomas	814915	For All Models including 85, 105, 137, 153, 175, 205, 250, 255	6	240.00
	Daewoo	814915	For All Models including 430, 440, 450, 460, 1340XL	6	240.00
	John Deere	814910	For Units prior to 1/99 Models 375, 575, 3375, 4475, 5575	6	240.00
	John Deere 200-Series	814920	For early 200-series return line fittings, hose and hardware.	6	205.00
	John Deere	815075	For late models 240, 250, 260, 270, 280 with screw type hydraulic reservoir cap	6	145.00
	John Deere	815075	For Models 317,320, 325, 328, 332 (Side panel must be removed)	6	145.00

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup. Priced FOB Factory.

WORKSAVER Prices Effective as of 4/14

Fence Building Attachments

Return Line Kits for Skid Steer Mounted Post Drivers Return Line kits are required for all MSS & HSS (except HSS/P) models. These kits contain fittings to allow the oil to be returned to the hydraulic reservoir.					
	John Deere	815110	For Models 313, 315, 318D, 319D, 320D, 323D, 326D, 328D, 329D, 332D, 333D, CT315	6	205.00
	Kubota	815115	For Models SVL-75, SVL-90	6	145.00
	Gehl	814895	For All Models including SL3635 SX, SL3935, SL4640, SL4840, SL5640, SL6640, SL7810, V270, V330, V400, 6640, 5240, 3640E, 4240E, 5240E, 5640E, 6640E, RT175, RT210, CTL85	7	145.00
	Mustang	814940	For Models including 2022, 2032, 2040, 2050, 2060, 2070, 2044, 2054, 2066, 2099,	6	155.00
	Mustang	814895	For Models including 2026, 2041, 2076, 2086, 2109, 2700V, 3300V, 1750RT, 2100RT, MTL 325	6	145.00
	New Holland	814910	For All Models including LS120, LS125, LS140, LS150, LS160, LS170, LS175, LS180, LS185.B, LS190.B, C175, C185, C190, L553, L554, L555, L781, L783, L784, LX665 LX865, LX885, LX985	6	240.00
	New Holland	815055	For 200 series Models L213, L215, L218, L220, L223, L225, L230, C227, C232, C238	6	240.00

Note: Every attempt has been made to provide return line packages for current skid steer loader models. However, some models are not adaptable (i.e.: Caterpillar Models, ASV Posi-Track and others). They can be fit with a hydraulic post driver by using a HSS/P model, which is a self-contained units and requires no return line fitting. If you have questions, please consult the factory.